
Agent Installation

Last Modified on 05.29.23

Install Recast Agent

1. Double-click the Recast Agent .msi file to open the installer. Click Next.



2. On the Agent Settings page, specify the computer domain and Agent Gateway address.

- Set the **Computer Domain** by entering the on-premises Active Directory domain DNS name of the computer where the Recast Agent is being installed. Use computer NETBIOS name as the domain when the computer is not joined to on-premises Active Directory domain. For Azure AD joined devices, use Azure AD as the domain name.
- Specify the Gateway Address by entering the full path to AgentGateway.asmx file.

🖟 Recast Agent (64-bi	it) - InstallShield Wizard	×
Centero Agent Settir	ngs	
Specify domain and gateway		
domain name to sp	Iter domain and Centero Agent Gateway address. Use fully qualified pecify the computer domain and Centero Agent Gateway. Specify full gent Gateway web service.	
Computer Domain:	ad.local	
Gateway Address:	http://cgw.ad.local/AgentGateway.asmx	
InstallShield		
1 is dance in cita	< Back Next > Cancel	

3. On the Ready to Install the Program page, click Install.

🖟 Recast Agent (64-bit) - InstallShield	Wizard		×
Ready to Install the Program			
The wizard is ready to begin installation.			
Click Install to begin the installation.			
If you want to review or change any o exit the wizard.	f your installation	settings, click Back.	Click Cancel to
InstallShield			
	< Back	Install	Cancel

Silent installation

You can use Configuration Manager, Intune or other solution to deploy Recast Agent silently to client device. Use COMPUTERDOMAIN and GATEWAY_ADDRESS properties to set your AD domain and agent gateway address to client

Example:

```
msiexec /i "Recast Agent (64-bit).msi" /qn COMPUTERDOMAIN="domain.local" GATEWAY_ADDRESS="http://gateway.d ns.suffix/AgentGateway.asmx"
```